

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

OS1000 9
List PWS ID #s for all Water Systems Covered by this CCR

TillAtoba Water ASSCC.
Public Water Supply Name

COMMI		CO TO ITS CUSTOTHERS EACH VENT THE	community public water system to develop and distribute a consumer pending on the population served by the public water system, this CCR per of local circulation, or provided to the customers upon request.
		lowing Questions Regarding the	- •
: 1	Customers were	re informed of availability of CCF	R by: (Attach copy of publication, water bill or other)
	X 1 - 1 2 - 1	Advertisement in local paper On water bills Other	
	Date custome	ers were informed: 6 /10 /	2016
	CCR was dist	tributed by mail or other dire	ct delivery. Specify other direct delivery methods:
	Date Mailed/Di	istributed:/_/	
1	CCR was publis	shed in local newspaper. (Attach	copy of published CCR or proof of publication)
	Name of Newsp	paper: <u>Coffeeville</u> (Courier
	Date Published:	: <u>6/10/10</u>	
X	CCR was posted	ed in public places. (Attach list of	locations)
	Date Posted: 4	116/10	
	CCR was posted	d on a publicly accessible interne	t site at the address: www
CERTI	FICATION PROPERTY OF THE PROPE		
consiste	nt with the wat	ichunet above. I furmer cermo	A) has been distributed to the customers of this public water system in that the information included in this CCR is true and correct and is wided to the public water system officials by the Mississippi State
).E. Name/I	funcie tide (<u>Rresident)</u>	Mayor, Owner, etc.)	6-16-2010 Date
	Mail Co	ompleted Form to: Bureau of Put Phoi	blic Water Supply/P.O. Box 1700/Jackson, MS 39215 1e: 601-576-7518

570 East Woodrow Wilson & Post Office Box 1700 & Jackson, Mississippi 39215-1700 601/576-7634 & Fax 601/576-7931 & www.HealthyMS.com

Equal Opportunity In Employment/Service

LOCAL Post Offices

2009 DRINKING WATER QUALITY REPORT TILLATOBA WATER ASSOCATION, INC. PWS # 810009 JUNE 2010

Tillatoba Water Association, Inc. is proud to present the 2009 Drinking Water Quality Report. This report is designed to inform you about the quality of water and services performed to meet the U.S. Environmental Protection Agencey (EPA) and Mississippi State Department of Health drinking water standards. We vigilantly safeguard our water supply and are once again able to report that our system did not violate the maximum contaminant level or any other water quality report that our system did not violate the maximum contaminant level or any other water quality standard. This report is an overview of last year's water quality. Included in the details are where the water comes from, what it contains, and how it compares to standards set by regulatory agencies.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe

Our water comes from two wells. Both draw ground water from the Lower Wilcox Aquifer. We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking whater meets health standards. Beginning January 1, 2004, the MSDH required public whater systems to use chlorine as a primary disinfectant to moniton/test for cholrine residuals as required by the Stage 1 Disinfection By-products Rule. Our water system completed the monitoring requirements for bacteriological sampling and showed no coliform present.

Our Source Water Assessment has been completed. Our wells ranked MODERATE in terms of susceptibility to contamination. For a copy of the report please contact Eddie Simmons at 662-623-5103.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Tillatoba Water Association, Inc. is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

If you have any questions concerning this report or your water utility, please contact Eddie Simmons at 662-623-5103. We want our customers to be informed and we encourage all customers to meet with us. Our board meets on the second Tuesday of February at 7:00 p.m. at the Tillatoba Volunteer Fire Department for its annual meeting.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

	MCLG or	MCL, TT, or	Your	Ra	-	Sample	W Y* # #	Typical Source
Contaminants	MRDLG	MRDL	With the second second	Low	<u>High</u>	<u>Date</u>	<u>Violation</u>	A Abicai States
disinfectants & Disi	nfectant B	y-Produc	ts			and the same medical property of the	C	f microbial contaminants)
There is convincing	evidence th	at additio	n of a dis	infect	mt is ne	cessary	tor country	f microbial contaminants)
THMs [Total Trihalomethanes] ppb)	NA	80	0.03	ND	30	2006	No	By-product of drinking water disinfection
Haloacetic Acids HAA5) (ppb)	NA	60	0.015	ND	0.015	2006	No	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	4	4	1.3	ND	1.3	2009	No	Water additive used to control microbes
inorganic Contami	ants							
Antimony (ppb)	6	6	o	ND	0.5	2006	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0.5	ND	0.5	2006	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.0039	ND	0.0039	2006	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0	ND	0,0001	2006	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.1	ND	0.1	2006	No	Corrosion of galvanized pipe Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	1	ND	1	2006	No	Discharge from steel and pul mills; Erosion of natural deposits
Fluoride (ppm)	4	4	0.1938	3 ND	0.193	8 2006	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories

Mercury [Inorganic] (ppb)	2	2	0.2	ND	0.2		2006	N	io f	Erosion of natural deposits; Discharge from refineries and actories; Runoff from andfills; Runoff from cropland
Selenium (ppb)	50	50	0.525	ND	0.525	+	2006	N	Įo	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0.5	2	0.0005	ND	0.000	5	2006	ı	Vo	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Nitrate [measured as Nitrogen] (ppm)	10	10	0.2	ND	0.2		2009	1	Лo	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1	0.05	ND	0.05	5	2009]	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	0.005	ND	0.00	5	2006	No		Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
			Your	1	nple		# Sampl		Excee	~ I
<u>Contaminants</u>	MCLG	AL	Water	<u>D</u> a	ate	Ex	ceeding	AL	AL	1 Vpicar Source
Inorganic Contamin		***************************************	***************************************	т		·	and company of the co	Official Disease, any	T	Corrosion of household
Copper - action level at consumer taps	1.3	1.3	0.6	20	2008		0		No	plumbing systems; Erosion of natural deposits
(ppm) Lead - action level at consumer taps (ppb)	0	15	0.003	20	2008		0		No	Corrosion of household plumbing systems; Erosion of natural deposits

Definition
ppm: parts per million, or milligrams per liter (mg/L)
ppb: parts per billion, or micrograms per liter (µg/L)
NA: not applicable
ND: Not detected
NR: Monitoring not required, but recommended.

Important Drinking Water Definitions	
Term	Definition
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
	The state of the s

тт	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Contact Name: James E. Simmons, Jr.

Address:

P. O. Box 5 Tillatoba, MS 38961 Phone: 662-623-5103

Q

THE STATE OF MISSISSIPPI

YALOBUSHA COUNTY

Paste Copy of Legal Notice Here

Before me, A Notary Public of Yalobusha County, this day came Sarah H. Williams, who states on oath that she is the Business Manager of THE COFFEEVILLE COURIER, a public newspaper published in the Town of Coffeeville and having a general circulation in the said County and State, and makes oath further that the advertisement, of which a copy as printed is annexed hereto, was published in said newspaper for 1 week in its issued numbered and dated as follows, to-wit:

Volume 100 Number 23 Dated the 19 day of June, 2010

Affiant further states that she has examined the foregoing $\underline{1}$ issue of said newspaper, and that the attached notice appeared in each of said issue as aforesaid of said newspaper.

Mah V. Villiams
Business Manager

THE COFFEEVILLE COURIER

Notary Public, Yalobusha County, Mississippi

148 Inches 1 time @ \$3.50 per inch

\$ 518.00

Proof of publication

3.00

Total

\$521.00

My commission expires

My commission expires
01/13/2013

2009 DRINKING WATER QUALITY REPORT TILLATOBA WATER ASSOCATION, INC. PW8 # 810009 JUNE 2010

Tiliatoba Water Association, Inc. is proud to present the 2009 Drinking Water Quality Report. This report is designed to inform you about the quality of water and services performed to meet the U.S. Environmental Protection Agencey (EPA) and Mississippi State Department of Health drinking water standards. We vigilantly safeguard our water supply and are once again able to report that our system did not violate the maximum contaminant level or any other water quality standard. This report is an overview of last year's water quality. Included in the details are where the water comes from, what it contains, and how it compares to standards set by regulatory agencies.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. BPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidum and other mirable! Contembrants are available from the Safe

intection by Capping as a second content of the Lower Wilcox Aquifer. We are required to mositor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking whater meets health standards. Beginning Isranary 1, 2004, the MSDH required public whater systems to use chloring as a primary distinfectant to monitorhest for cholvine residuals as required by the Stage 1 Distinfection By-products Rule. Our water system completed the monitoring requirements for bacteriological sampling and showed no coliform present.

Our Source Water Assessment has been completed. Our wells ranked MODERATE in terms of susceptibility to contamination. For a copy of the report please contact Eddle Simmons at 662-623-5103.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from meterials and components associated with service lines and home plumbing. Tillatoba Water Association, Inc. is responsible for providing high quality drinking water, but canot control the variety of materials used in plumbing components. When your water has bein siting for several hours, you can minimize the potential for lead exposure by flushing your tap fig. 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe prinking Water Hotline or at http://www.eps.gov/safewater/lead.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protegtion Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, IPPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drng Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

If you have any questions concerning this report or your water utility, please contact Eddie Simmons at 662-623-5103. We want our customers to be informed and we encourage all customers to meet with us. Our board meets on the second Tuesday of February at 7:00 p.m. at the Tillatoba Volunteer Fire Department for its annual meeting.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the deta presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Contaminants	MCLG or MRDLG	TT, o	You	r Range		Sample h Date		n Typical Source
Disinfectants & Di	sinfectant B	y-Prod	ucts	98.37			1	
(There is convincing	g evidence th	at addit	ion of a	disinfe	ctant is	necessary	for control	l of microbial contaminants)
TTHMs [Total Tribalomethanes] (ppb)	NA.	80	0.03	NE	1 AM	2006	No	By-product of drinking water disinfection
Haloacetić Acids (HAAS) (ppb)	NA.	60	0,015	ND	0.01:	5 2006	No	By-product of drinking water chlorination
Chlorine (as Cl2) (ppm)	4	4	1.3	ND	1.3	2009	No	Water additive used to contro microbes
Inorganic Contami	nants	10		9841-6-	4,1498	1000	S1-45-169-2	pulations :
Antimony (ppb)	6	6	0	ND	0.5	2006	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	0,5	ND	0.5	2006	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Sarium (ppm)	2	2	0.0039	ND	0.0039	2006	No	Discharge of drilling wastes; Discharge from metal refineries; Emsion of natural deposits
Seryllium (ppb)	4	4	0	ΝĐ	0.0001	2006	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
70	5	5	0.1	ND	0.1	2006		Erosion of natural deposits; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
romium (ppb)	100	00	1	ND	1	2006	No pr	Discharge from steel and purp uills; Erosion of natural
oride (ppm)	4 .	0.	1938 N	ID (0.1	1938 2	1006	No po	rosion of natural deposits; ater additive which omotes strong teeth;

cury [Inorganic]	2	2	0.2	ND	0,2	2	006	No	Di fa la	scha xori pdfil	o of natural deposits; rge from refineries and es; Ramoff from ls; Runoff from
)) lenium (ppb)	50	50	0,525	ND.	0.52	1	2006	N) B B G	isch etal atur	arge from petroleum and refineries, Erosion of al deposits; Discharge
iallium (ppb)	0.5	2	0.000	ND	0.000	>5	2006	N	0	glass proof	parge from electronics, and Leaching from ore- essing sites, drug ries
litrate Imeasured as	10	10	0.2	27) o.:	2	2009	``	lo .	Lead	off from fertilizer use; hing from septic tanks, age; Erosion of natural ssits
litrogen] (ppm)	د د ا	1	0.0:	i N	D 0.	05	2009		No	Rus Lea Sew	off from fertilizer use; ching from septic tanks, rage; Erosion of natural
Nitrogen] (ppm) Cyanide [as Free Cn]	200	200	0.00)5 1	D 0.	005	2006		No .	Ir.	charge from plastic and tilizer factories; Discharge m steel/metal factories
(ppb)	MCL	G AL	You Wat	15132	ample Date		# Samp		Exce Al	3.4	Typical Source
Contaminants Inorganic Contami				1		ा	Marian.		T		Corrosion of household plumbing systems, Erosion
Copper - action leve at consumer taps	1.3	1.3	0.0	5	2008		0		1	lo.	of natural deposits
(ppm) Lead - action level (consumer taps (ppb	u 0	1:	0.0	03	2008		0)		No.	olumbing systems; Erosio of natural deposits

Unit Descriptions	Definition (mg/l)
Term	ppm: parts per million, or milligrams per liter (mg/L)
ppm	nob; parts per billion, or micrograms per new cro
pph	NA: not applicable
NA ND	ND: Not perceled NR: Monitoring not required, but recommended.
NR NR	NR: Monitoring not required, our recent

ortant Drinking Water Definitions	Defigition
Term	I are a local of a containment
MCLG	in drinking water below white in drinking water below white health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The inguist as close to the MCLGs as that is allowed in drinking water. MCLs are get as close to the MCLGs as that is allowed in drinking the best available treatment technology.
TI	TT: Treatment Technique: A required process intended to require the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a communication of the concentration of the concentrat
Variances and Exemptions	must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a development of the conditions or expected.
MRDLG	drinking water distinct and the state of the use of risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	disinfectants to control microton control for MRDL. Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
	MNR: Monitored Not Regulated
MNR	MPL: State Assigned Maximum Permissible Level
MPL	WLF: PINIC VENIGHAM IN

For more information please contact; Contact Name: James E. Simmons, Jr. Address. P. O. Box 5 Tillatoba, MS 38961 Phone: 662-623-5103

The CCR was Also posted in Two Local Post office's that Are members of Tillatoba water Assoc.

TillAtoba P.O. 38961 Scobey P.O 38953